

	L #	Hits	Search Text	DBs
1	L1	0	((24/dig8) or (24/dig9) or (24/dig10)).CCLS.	US-PGPUB; USPAT
2	L2	0	((24/dig8) or (24/dig9) or (24/dig10)).CCLS.	US-PGPUB; USPAT
3	L3	0	((24/digest8) or (24/dig9) or (24/dig10)).CCLS.	US-PGPUB; USPAT
4	L4	2776	paper adj clip	US-PGPUB; USPAT
5	L5	853	4 and wire	US-PGPUB; USPAT
6	L6	338	5 and steel	US-PGPUB; USPAT
7	L7	45	6 and polyester	US-PGPUB; USPAT
8	L8	0	(steel adj wire) with ((clip fastener) near3 paper) with polyester	US-PGPUB; USPAT
9	L9	27	(steel adj wire) with ((clip fastener) near3 paper)	US-PGPUB; USPAT
10	L10	32	(steel adj wire) with ((clip fastener) near3 paper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L11	1	10 and (protective near3 coat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	L12	80	(steel adj wire) with (polyester (polyethylene adj terephthalate) (polyethylene adj naphthenate)) with coat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	L13	25	12 and (protective protection corrosion corrosive anti- corrosion anti- corrosive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	L14	1662	((29/527.2) or (29/527.4) or (29/33f)).CCLS.	US-PGPUB; USPAT

15	L15	183	(copper-sulfate copper-tin-sulfate (copper-tin near sulfate) (copper near tin near sulfate) (copper near sulfate)) and (steel adj wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
----	-----	-----	---	--

	L #	Hits	Search Text	DBs
16	L17	0	16 and polyester	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	L18	0	16 and (polyethylene adj terephthalate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	L16	20	(copper-sulfate copper-tin-sulfate (copper-tin near sulfate) (copper near tin near sulfate) (copper near sulfate)) with (steel adj wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L1	0	((24/dig8) or (24/dig9) or (24/dig10)).CCLS.	US-PGPUB; USPAT
2	L2	0	((24/dig8) or (24/dig9) or (24/dig10)).CCLS.	US-PGPUB; USPAT
3	L3	0	((24/digest8) or (24/dig9) or (24/dig10)).CCLS.	US-PGPUB; USPAT
4	L4	2776	paper adj clip	US-PGPUB; USPAT
5	L5	853	4 and wire	US-PGPUB; USPAT
6	L6	338	5 and steel	US-PGPUB; USPAT
7	L7	45	6 and polyester	US-PGPUB; USPAT
8	L8	0	(steel adj wire) with ((clip fastener) near3 paper) with polyester	US-PGPUB; USPAT
9	L9	27	(steel adj wire) with ((clip fastener) near3 paper)	US-PGPUB; USPAT
10	L10	32	(steel adj wire) with ((clip fastener) near3 paper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L11	1	10 and (protective near3 coat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	L12	80	(steel adj wire) with (polyester (polyethylene adj terephthalate) (polyethylene adj naphthenate)) with coat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	L13	25	12 and (protective protection corrosion corrosive anti- corrosion anti- corrosive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB